

G5 : 9 HM 8 5 H5 'G<99 H'

G97 H-CB '%L7 <9 A=5 @DFC8I 7 H'5 B8 'A5 BI : 57 HI F9 FfG'-89 BH= 75 H-CB

DfcXi Wi-8.	499885		
DfcXi WiBUa Y.	ZenaSolv Citrus		
FYj JgJcb'8 UHY.	Aug 20, 2025	8 UHY'DfJbHYX.	OE * /oeJced
JYfgJcb.	3.0	Gi dYfgYXYg'8 UHY.	Jun 25, 2020
A Ubi ZMWi fYfJg'BUa Y.	Zenex International		
5 XXfYgg.	1 Zenex Circle Cleveland, OH, US, 44146		
9a Yf[YbWiD\ cbY.	Fß €€ H ß €í H		
ƁZ:fa Ujcb'D\ cbY'Bi a VYf. QI €€H €í í			
DfcXi W#FYWta a YbXYX'i gYg. Ö^*!^æ^!			

G97 H-CB '&L<5 N5 F8 G'-89 BH= 75 H-CB

7 UggJZjWUjcb

OE! [• [• /ÖÖæ* [! ^ ÁF
 Öæ^•ÁWj á^!Áj!^•~!^ÁÖä ~^•áÁÖæ
 OE] áæq } Áæ æáÁÖÖæ* [! ^ ÁÁ
 Eye Irritation - Category 2A
 Á\ q Á\^) • ää ^! /ÖÖæ* [! ^ ÁF

DJWc[fUa g



GJ[bU'K cfX

Öæ*^!

< UnUFXci g'GHUya YbJg!'D\ ngjWU

PGGÖÖcd^ { ^! Áæ { æ!^Áæ! [• [|
 PG €ÖÖ [} æq • Áæ Á) á^!Áj!^•~!^ÁÖ æ Ác [[á^!ÁÖæá

< UnUFXci g'GHUya YbJg!'<YUH

PH€ ÁT æ Á^ÁæáÁ, æ [, ^áÁq áÁ) c! • Áæ, æ • Á
 PHF ÁT æ Áæ • ^Áq Áq!^* äÁ\ q Áææq }
 H320 - Causes eye irritation

DfYWU jcbUfmiGHUya YbJg!' ; YbYfU

ÚF€ÁÖÁ ^ááæÁæçä^Á^Á^ááÖÖ^Áj [á~&öq } æq ^!Áj!Áæ^!ÁæÁæ áä
 ÚF€ÁÖS^^ Á~ ö! Áææöq - &öq!^) È
 ÚF€ÁÖU^æÁæ^!Áq! ^Á • ^È

DfYWU jcbUfmiGHUya YbJg!' DfYj YbJcb

ÚF€ÁÖS^^ Áq æ Áj [{ Á@æÖÖ Ö^!^æ•ÖÁ æ\ÖÁ) ^ Áæ ^•Áq áÁö!Áq } æq } Á~!&•Öö [Á [[\ q * ÖÁ
 ÚFFÁÖÖ [Á [ö!] æ Á) Áq ^Á!Áö!Áq } æq } Á~!&•
 ÚG FÁÖÖ [Á [ö! & Á!Á~!) ÖÁ^) Áæ^!Á • ^È

[illegible]

I bgi]HUV`Y`9I h]b[i]g\]b[`A YX]U

└┐ Áàææáææà|^È

GdYWZw< UhUfXg`jb`7 UgY`cZ: JfY

[illegible]

:]f Y!:][\ h]b['Df cWXi f Yg

[illegible]

GdYU'DfcHWWj Y'5 Wjcbg

Y ^æÁ[•ãã^Á|^\bullet^\^Á^|~B}æã^åÁ|^\æ@*Áæ]ææ•ÁŮŮŮŮ

G97H=CB* L577-89BH5 @F9@95 G9'A95 G| F9G

9a Yf[YbWnDfcWXXi fY

05Q 00B/044/4} 3} Á[~!&•Á[Á[[\q •Á[as•Á[] as!•Á[!Áas •Á[Á[{ ^ááas•Á[asE
 0[Á[0q~&0[!Á as Á[0[~•0[] q!ÁÁÁ as!asE
 0[!as•Á[as asÁas•Á[as áÁ^)] Á[}}^&••as•Á[]!Á[as 0[(as Á[0[!as•Á[as~Á[] [~!Á[Á[0[Á^)!as!~a[as!Á[0[Á] çá[] { ^) 0[&&~!Á
 [!Á[Á[!~Á[&&~!E
 0[!] q!ÁÁÁ as!asE Á[as ÁÁÁ] Á•q•Á[as•~!as•Á[] [c] 0[0[Á[•~!0[•Á as 0[Á 0[0[!Á[as Á[Á[as•Á[as~!as•Á[] asáE

FYWca a YbXYX'9ei]da Ybh

Y ^æÁã ~ ãÁã @&@ { ææÁ | c &ã ^Á& | @ * Á Á { àã æã } Á ã@ | •ã ^Á | ^•• ^Á ^-B } æã ^áÁ ^æ@ * Áæ] ææ • ÁÜÔÓÔÈ

DYfgcbU'DfYWU hJcbg

Cd[kA/ ^æC * Aæ[EÖ[kA/ } æC\ æG\ q E^ ^Ä / & @æ æ ^ä/ } æ \ • Ä / ä | äÄ æ | æ Ä } | • • Ä ^ææ * Ä æ] [] : æ Ä / e & æ / @ * E

9bj Jfcba YbHJ'DfYWU Hcbg

[illegible]

A Yh cXg'UbX'A UhYf]Ug'Zcf'7 cbHJba YbhUbX'7`YUb]b['i d

Qa•[!àÁã~ã•ÁÁ^!{æ~ãÄ!^ÁæáÄæoQÄ!ÁããæÁ^!oÁæ^!ãÄæáÁÁ^][•ãÁÁ^æáÁÁ^}cã^!•Á!Áã][•æÉ

G97 H=CB'+L<5 B8 @B; '5 B8 'GHCF5; 9

; YbYfU

[illegible]

J Ybhj Uhcb F Yei jfYa Ybhg

W^A Á Á^ ^||Ë^} c|æ^ aÁ |æ^ È

GhcfU Y'Fcca 'FYei JfYa Ybhq

Ùq !^Áq áÁ•^Á ÁÁq | [Éá!^É Á^||É^) cāc áÁÁ^áÉÖ Á[óÁq !^Áq[ç^ÁÉÉ»ÖÜ^^Á|| á~ &óÁÁ^Á!Á!Áááā} áÁ -!{ áā} È

#986A

9mY'DfchYWjcb

Y ^æÁæ^cÁ|æ•^•Á ãQã^Á @|ã•EÖ^, æ @Áæã}•ÁqãÁQ, ^•ÁÁQ^|ãÁ^Áææã|ÁÁÁææÁ @|^ÁQÁ æ|^ãÁÁ•^ãÁqãÁq|^ãE

G_b'DfchYWjcb

W^A[|c^ d^•ā cē) ō | | c^&cā^A | | c^•Á | Á | | | } ^āÁ | Á^ ^æāā | } cāē

F Ygd]f Uhc f mDf c hYW]c b

[illegible]

5 ddfcdf]UhY'9 b[]bYYf]b['7 cbhfc`g

X^} qaa} Á @ ~ |áÁ^Á ~ aa} oÁ Á ^ç^} oÁ @aa} Á Á ^ Áa [!•È

71 Ya JWU' BUA Y	CG<5''HK 5''' fba [#a ' L	CG<5' HK 5''' ftda L	CG<5'''GH9 @''' fba [#a ' L	CG<5'''' 7 UfV]bc[Yb	'CG<5'''G_jb' XYgj buhcb	CG<5' HU'Yg' fn^N&z'n' L'	57; <'HK 5''' fba [#a ' L	57; <'HK 5''' ftda L
OÖOVUPÒ	G €€	F€€€				F		G €
Ôaa[} /Öā çää^	J€€€	Í €€€				F		Í €€€
ŮUÚŮŮŮŮŮŮŮŮ ŌÁ ÚÓVÜÜŠŌWT Á ŌŮVŠŠŌE/Ō	G€€€	Í €€				F	ŽšḌFíJašD ẓ̌i eeaA Aq ẓ̌FíJá Aq ẓ̌i eea	ŠḌFíJašD ẓ̌i eea

71 Ya JWU' B Ua Y	B=C<G<...GH9 @ ftda Ł	57; K...GH9 @ fba [#a ' Ł	57; K...GH9 @ ftda Ł57; K... 7 UWjbc[Yb57; K... H@'6 Ug]g	57; K... BcHUjcbg	B=C<G<...HK 5 ... fba [#a ' Ł	B=C<G<...HK 5 ... ftda Ł
OËOÜVUPÒ			I €€	OE	WÜVBA^A/LÁ ÔPÚÁ]æ	OE LÁOÖQ	I JE	G €
Ôasà[] Ää çää^	H€€€€		H€€€€		OE] @ çæe		J€€€	I €€€
QUUÚCÜEØEØQ ŌĀ ÚOVÛUSŎWT Á ŌQVŠSÖVŌ				ŽOGŽFÍ JÄOG Žì eeaŁœ ŽFÍ JÄOI Žì eeaŁ	WÜVA! ŽFÍ JA WÜVA! Žì eeaŁ	ŽOGŽFÍ JÄOG Žì eeaŁœ ŽFÍ JÄOI Žì eeaŁ		

[illegible]

D\ ngjWU`UbX'7\ Ya jWU`DfcdYfhjYg

Ö\}•æ	İ İ İ Å Ð æ
Ö\}•æ Å U Ô	€ İ Å Ð æ
Ã Å U Ô	İ İ € Ã Á

၀၄] ^ဆဆ &^Á	၀၇^ဆဆ &^Á
Uá[!Á^•&ဒု နံ }	၀၈^•
၀၉ဆ နံ [ဒု c	၁၀H၀
၀၉နံ [!ဆနံ] Áဆ	၁၁[နံ^ဇ! { ဒု^á
Xနံ [!Á!^••^!^	5 mm Hg^Á Á !
Y ဆ^!Á[]^ áနံ	T ဒု &နံ^
၁၂ဆနံ] Á[^-ဆနံ) နံ E	၁၃[နံ^ဇ! { ဒု^á
[&ဆ] [ဇ ဆ^!	
၁၄ c ဇ^• ဆနံ] Á^!^ဆ^!	410F / 210C

Stability

Stable under normal storage and handling conditions.

#986A

Conditions to Avoid

Avoid heat, sparks, flame, high temperature and contact with incompatible materials.

Dropping containers may cause bursting.

Incompatible Materials

Avoid strong oxidizers, reducers, acids, and alkalis.

Hazardous Reactions/Polymerization

Will not occur.

Hazardous Decomposition Products

No data available.

SECTION 11) TOXICOLOGICAL INFORMATION

Skin Corrosion/Irritation

Not GHS corrosive

Likely Route of Exposure

Inhalation, ingestion, skin absorption.

Serious Eye Damage/Irritation

Causes eye irritation

Carcinogenicity

Not carcinogenic

Germ Cell Mutagenicity

Not considered mutagenic

Reproductive Toxicity

No data available.

Respiratory/Skin Sensitization

May cause an allergic skin reactions.

Specific Target Organ Toxicity - Single Exposure

No STOT - single exposure

Specific Target Organ Toxicity - Repeated Exposure

No STOT - repeated exposure

Aspiration Hazard

May be fatal if swallowed and enters airways

Acute Toxicity

No data available.

Potential Health Effects - Miscellaneous

0000067-64-1

LC50 (male rat): 30000 ppm (4-hour exposure); cited as 71000 mg/m3 (4-hour exposure) (29)

LC50 (male mouse): 18600 ppm (4-hour exposure); cited as 44000 mg/m3 (4-hour exposure) (29)

LD50 (oral, female rat): 5800 mg/kg (24)

LD50 (oral, mature rat): 6700 mg/kg (cited as 8.5 mL/kg) (31)

LD50 (oral, newborn rat): 1750 mg/kg (cited as 2.2 mL/kg) (31)

LD50 (oral, mouse): 3000 mg/kg (32,unconfirmed)

LD50 (dermal, rabbit): Greater than 16000 mg/kg cited as 20 mL/kg) (30)

SECTION 12) ECOLOGICAL INFORMATION

#986A

Toxicity

Petroleum Distillates, Hydrotreated Light	LC50: = 2.4 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 2.2 mg/L, 96h static (Lepomis macrochirus) LC50: = 45 mg/L, 96h flow-through (Pimephales promelas)
D-limonene	EC50: = 0.36 mg/L, 48h static (Daphnia magna) EC50: = 150 mg/L, 72h static (Desmodesmus subspicatus) LC50: = 0.702 mg/L, 96h flow-through (Pimephales promelas)
Acetone	EC50: = 8800 mg/L, 48h static (Daphnia magna) NOEC: = 430 mg/L, 96h static (Desmodesmus subspicatus)

Persistence and Degradability

Persistence is unlikely based on information available.

Bio-Accumulative Potential

No data available.

Mobility in Soil

No data available.

Other Adverse Effects

No data available.

SECTION 13) DISPOSAL CONSIDERATIONS

Waste Disposal

Under RCRA, it is the responsibility of the user of the product, to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state, and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

SECTION 14) Transport Information

	IATA Information	IMDG Information	U.S. DOT Information
UN number:	UN1950	UN1950	UN1950
Proper shipping name:	Aerosols, flammable	Aerosols	Aerosols
Hazard class:	2.1	2.1	2.1
Packaging group:	N.A.	N.A.	N.A.
Note / Special Provision:	(LTD QTY)	(LTD QTY)	(LTD QTY)

SECTION 15) REGULATORY INFORMATION

CAS	Chemical Name	% By Weight	Regulation List
0064742-47-8	ISOPARAFFINIC PETROLEUM DISTILLATE	58% - 96%	SARA312, VOC, TSCA, ACGIH, OSHA
0005989-27-5	D-LIMONENE	4% - 9%	SARA312, VOC, TSCA
0000067-64-1	ACETONE	3% - 7%	CERCLA, SARA312, TSCA, RCRA, ACGIH, OSHA
0000124-38-9	Carbon Dioxide	2% - 4%	SARA312, TSCA, ACGIH, OSHA

SECTION 16) OTHER INFORMATION


Glossary

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG- Canadian Transportation of Dangerous Goods; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center (US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL- Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self-Contained Breathing Apparatus; STEL- Short Term Exposure Limit; TCEQ- Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA- Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

HMIS

Health	/ 1
FLAMMABILITY	2
Physical Hazard	0
Personal Protection	B

NFPA



(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks

DISCLAIMER

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.