# BoldNax

Aurelia® BoldMAX® Black Nitrile Powder Free Examination Gloves





**Durable Black Nitrile** Patented "MaxGrip" Texture



- 6 mil thickness, Patented "MaxGrip" Texture
- Excellent chemical resistance and tensile strenght
- Tested and Approved for Fentanyl & Chemo drug resistance per ASTM D6978-05 Standard











# BoldMAX

# **Product Description**

BoldMAX™ professional grade black nitrile gloves offers industrial strength and medical grade quality, precision and protection in a stylish matte black finish and are ideal for demanding applications such as automotive, emergency medical and light industrial.



### **Aurelia® BoldMAX® Specifications**

# **TENSILE TEST RESULTS** (unaged)

#### **AGED TENSILE TEST RESULTS** (7 Days at 70° C)

	Tensile Strength (MPa)	Elongation at break (%)		Tensile Strength (MPa)	Elongation at break (%)
Extra Small	26.1	550	Extra Small	24.0	550
Small	26.1	550	Small	24.0	550
Medium	26.5	550	Medium	24.0	555
Large	26.1	595	Large	24.0	585
Extra Large	26.2	580	Extra Large	23.7	570
XX-Large	26.2	580	Extra Large	23.7	570
ASTM D6319-00	14 MPa minimum	500% minimum	ASTM D6319-00	14 MPa minimum	500% minimum

#### **DIMENSIONES**

DIMENSIONES				
	Length	Thickness (Single-wall)		
	(inches/mm)	Palm (mils/mm)	Finger (mils/mm)	
Extra Small Aurelia Bold ASTM D6319-00	9.4 / 240 8.7 / 220 minimum	6.7 / 0.13 3.2 / 0.08 minimum	7.9 / 0.15 3.2 / 0.08 minimum	
Small Aurelia Bold ASTM D6319-00	9.4 / 240 8.7 / 220 minimum	6.7 / 0.13 3.2 / 0.08 minimum	7.9 / 0.15 3.2 / 0.08 minimum	
Medium Aurelia Bold ASTM D6319-00	9.4 / 240 9.1 / 230 minimum	6.7 / 0.13 3.2 / 0.08 minimum	7.9 / 0.15 3.2 / 0.08 minimum	
Large Aurelia Bold ASTM D6319-00	9.4 / 240 9.1 / 230 minimum	6.7 / 0.13 3.2 / 0.08 minimum	7.9/ 0.15 3.2 / 0.08 minimum	
Extra Large Aurelia Bold ASTM D6319-00	9.4 / 240 9.1 / 230 minimum	6.7 / 0.13 3.2 / 0.08 minimum	7.9 / 0.15 3.2 / 0.08 minimum	
XX-Large Aurelia Bold ASTM D6319-00	9.4 / 240 9.1 / 230 minimum	6.7 / 0.13 3.2 / 0.08 minimum	7.9 / 0.15 3.2 / 0.08 minimum	

#### **Ordering Information**

To order from your preferred distributor, specify size and item number. Packing: 100 pieces per dispenser box, 10 dispenser boxes per shipping carton.

Medium	Large	Extra Large	XX-Large	
97897	97898	97899	97890	



Sign of Comfort





**Examination Gloves** 





<b>9789A7</b> (M)	ø 50	10 x 50
<b>9789A8</b> (L)	ø 50	10 x 50
9789A9 (XL)	ø 50	10 x 50
9789A0 (XXL)	ø 50	10 x 50

Premium quality black nitrile examination gloves with an excellent diamond grip finish offering a greater tensile stregth and increased protection than both Latex and Vinyl

- 6 Mil thickness
- 7.5g in weight
- Diamond Textured
- Latex Free
- Ambidextrous
- AQL 1.5



**Powder Free** 

Nitrile

Black



5 Years

7.5 +/-0.2g

Sizes & Dimensions



 Single wall thickness



① min. 0.20 mm

② min. 0.16 mm

③ min. 0.08 mm

Physical properties

	Unaged	Aged
Tensile Strength	min. 14.0 MPa	min. 14.0 MPa
Elongation	min. 500 %	min. 400 %
Strength at Break	min. 6N	min. 6N

#### Aurelia Gloves conforms and complies with:

- The general safety and performance requirements of FDA Medical Device Regulation for Class 1 medical devices (21 CFR 880.6250) and complies with all general controls (section 513(a)(1)(A) of the Federal Food, Drug, and Cosmetic Act (Act); 21 U.S.C. 360c(a)(1)(A))
- The standard specification requirements for ASTM D6319- Freedom From Holes, Physical Dimensions Test, Physical Requirement Test and Packaging
- The standard specification requirements for ASTM D6978-05 Standard Practice for Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs
- EEC regulations concerning the conformity of materials and products that are allowed to come into contact with food. In accordance with Regulation EEC 1935/2004, Regulation EC 10/2011 & Regulation (EC) No 2023/2006.
- The gloves are certified manufactured according to ISO 9001:2015 and ISO 13485:2016 Quality Management Systems