



1039RING



1042

Key Rings

Attaches keys to the key tag portion of the #1039 Dispatch Numbering System.

No	Qty/Bag	Sold By
1039RING	250	Bag

Steering Wheel Cover for Cars

Elastic banded shower cap covers the entire steering wheel to protect it from greasy hands. Especially important for newer or more expensive cars.

No	Size	Qty/Case	Sold By
1042	24"	500	Case

BigEasy™ GLO / Easy Wedge Kit



1047

Unlocking Car Tool Kit

Glow-In-The-Dark yellow color allows you to see the tool at night or through tinted windows. The tool is 55 inches long. Easy wedge offers controlled opening of the car door so the tool can get in to unlock. Kit comes with wedge, paint protector, lock knob lifter, and the 55 inch long tool.

No	Sold By
1047	Each



717

ADHESIVES & SEALANTS

Weatherstrip Adhesive

Neoprene-based weatherstrip adhesive and contact cement for rubber, fabric, and metal. Dries clear for a clean finish and resists gas and oil. Ideal for weatherstripping, carpets, and molding. Apply to both surfaces; not for plastics. Cures in 24 hours.

No	Color	Size	Qty/Case	Sold By
717	Yellow	5 fl. oz. tube	12	Each



732AL11

Aluminum Silicone Sealant

Can be used as an industrial sealer and caulk. Also can be used as a formed in place gasket. Aluminum color used by heating and air-conditioning repairmen.

No	Color	Size	Qty/Case	Sold By
732AL11	Aluminum	10.1 oz.	12	Each

Silicone Sealants & Instant Gaskets BEST SELLER!

Available in black, blue, clear, and red. 100% silicone rubber resists weather, temperature extremes, chemicals, and aging. Oxygen sensor safe; resists hot oil and glycol. Not for gasoline immersion or head gaskets. Ideal for oil pans, valve covers, transmissions, and general sealing.

No	Description	Color	Size	Qty/Case	Sold By
732B3	Instant Gasket	Blue	3 oz. squeeze tube	12/case	Each
732B8	Instant Gasket	Blue	8 oz. "cheese whiz" can	12/case	Each
732B11	Instant Gasket	Blue	10.1 oz. caulk tube	12/case	Each
732BLK8	Best Seller! Silicone Sealant	Black	8 oz. "cheese whiz" can	12/case	Each
732BLK11	Silicone Sealant	Black	10.1 oz. caulk tube	12/case	Each
732C3	Silicone Sealant	Clear	3 oz. squeeze tube	12/case	Each
732C8	Best Seller! Silicone Sealant	Clear	8 oz. "cheese whiz" can	12/case	Each
732C11	Silicone Sealant	Clear	10.1 oz. caulk tube	12/case	Each
732R3	Hi-Temp Instant Gasket	Red	3 oz. squeeze tube	12/case	Each
732R8	Hi-Temp Instant Gasket	Red	8 oz. "cheese whiz" can	12/case	Each
732R11	Hi-Temp Instant Gasket	Red	10.1 oz. caulk tube	12/case	Each



732B3



732B8



732B11



732BLK8



732BLK11



732C3



732C8



732C11



732R3



732R8



732R11



700



703



703GRAY



724

Flex & Firm Seam and Joint Sealer

Flexible seam and joint sealer for unibody cars. Sandable and flexible; won't set in tube. Feather in 8–10 minutes, paintable in 30 minutes with no shrinkage or cracking. Bonds metal, glass, wood, and plastic. Fully cures in 72 hours.

No	Size	Qty/Case	Sold By
700	11 oz. caulk tube	12	Each

GTX Multi-Seal Trailer Sealant

This product is used to repair truck trailers. When repairs on made on trailer panels, they are attached to the frame of the trailer. #703 is used to provide an airtight seal for the repaired panel.

No	Color	Size	Qty/Case	Sold By
703	White	10.1 oz. caulk tube	12	Each
703GRAY	Best Seller! Gray	10.1 oz. caulk tube	12	Each

Muffler Cement

For use in muffler repair shops. #724 Muffler Cement is applied to where muffler pipes are joined together to insure there will be no exhaust leaks after the repair is made. We currently carry the Yale brand which is recognized as a superior muffler cement (subject to change).

No	Size	Qty/Case	Sold By
724	16 oz. squeeze tube	12	Each

Permatex Ultra Grey RTV

High-torque, vibration-resistant RTV gasket maker. Noncorrosive, low-odor, and leak-proof; resists oils, coolant, and shop fluids. Temp range: -65°F to 500°F (intermittent).

No	Size	Qty/Case	Sold By
P732G3	3.5 oz. squeeze tube	12	Each
P732G13	Best Seller! 13 oz. caulk tube	12	Each

DynaGrey RTV

Same great specifications as the Permatex Ultra Grey in various sizes for your needs.

No	Size	Qty/Case	Sold By
732G3	3.8 oz. squeeze tube	12	Each
732G8	Best Seller! 8 oz. "cheese whiz" can	12	Each
732G11	10.1 oz caulk tube	12	Each



P732G3



P732G13



732G3



732G8

732G11

DynaBlack Fast Cure Gasket Maker

Fast-cure black high-temp RTV silicone forms a durable in-place gasket with faster drying than standard RTV sealants. Ideal for valve covers, oil pumps and pans, water pumps, thermostats, and similar applications. Delivers reliable sealing in high-temperature engine environments.

No	Size	Qty/Case	Sold By
N732BLK3.8	3.8 oz. squeeze tube	12	Each
N732BLK8	8 oz. "cheese whiz" can	12	Each

Permatex Right Stuff Gasket Maker

The Right Stuff Gasket Maker seals instantly. Forms a heavy bodied, reliable, long-lasting silicone gasket. Superior flexibility and adhesion accommodates joint movement. Excellent oil resistance. Oxygen sensor safe.

No	Size	Qty/Case	Sold By
P732-5 Best Seller!	5 oz. mini-cartridge	6	Each
P732-7	7 oz. cartridge	6	Each
P732-10	10 oz. cartridge	6	Each

DynaPlus Fast Cure Gasket Maker

DynaPlus Fast Cure Gasket Maker is an elastomeric sealant that replaces cut gaskets. OEM-quality and sensor-safe, it offers fast cure, strong adhesion, and resistance to oil, water, antifreeze, and transmission fluid. Withstands vibration, blowout, and up to 500°F (260°C).

No	Size	Qty/Case	Sold By
733A	6.75 can	6	Each

Hi-Tack Gasket Adhesive

Permatex® Hi-Tack Spray-a-Gasket Sealant is an all-purpose sealant that quickly dries to a tacky film. Remains tacky indefinitely and can be applied in advance. Sensor safe, resists gasoline, oil, antifreeze, axle lube, kerosene, propane and butane. For use on fuel pumps, carburetors, manifold gaskets, and more.

No	Size	Qty/Case	Sold By
727	8 oz. aerosol can	12	Each

Hi-Temp Copper Spray Gasket

Fast-drying, metallic copper sealant helps dissipate heat, prevents gasket burnout and improves heat transfer. Fills minor surface irregularities. Seals instantly. Fills hot spots and surface imperfections. Temperature range -50°F to 500°F (-45°C to 260°C); resists all types of automotive fluids, especially gasoline.

No	Size	Qty/Case	Sold By
728	9 oz. aerosol can	12	Each



Order Now: (847) 622-0001



751



751-300



750BLUE6



750BLUE



750RED6



750RED



750RED250



750GEL-BLUE



750GEL-RED



750GEL-BLUE6



750GEL-RED6

Red Anaerobic Gasket Maker & Flange Sealant

The Red High Strength Bolt Locker added to this Gasket Maker will prevent the seal from being broken even under high vibration conditions.

No	Size	Qty/Case	Sold By
751	50 ml. squeeze tube	10	Each

Purple Anaerobic Gasket Maker

Dynatex® Purple Anaerobic Gasket Maker is a single-component, medium-strength anaerobic sealant that cures between close-fitting metal parts without air. It forms a tough, flexible, solvent- and heat-resistant seal that withstands vibration and thermal changes. Operates from -65°F to 300°F.

No	Size	Qty/Case	Sold By
751-300	300 ml. cartridge	6	Each

Boltlocker **BEST SELLER!**

Bolt Locker threadlockers secure and seal metal threaded assemblies. Red high strength is applied before assembly and requires power tools for removal; blue medium strength can be applied before or after and is hand-removable. Fills gaps up to 0.008" and prevents thread corrosion.

No	Size	Qty/Case	Sold By
750BLUE6	6 ml. squeeze tube	12	Each
750BLUE	24 ml. bottle	6	Each
750RED6	6 ml. squeeze tube	12	Each
750RED	Best Seller! 24 ml. bottle	6	Each
750RED250	250 ml. bottle	2	Each

Gel Boltlocker

Dynatex® Red/Blue High Strength Super Threadlocker Gel is a high-strength anaerobic gel that locks threads to resist leakage, shock, and vibration. For 1/4"-1" fasteners not intended for disassembly. Chemical- and corrosion-resistant, -75°F to 300°F. Fixtures in minutes. Loctite® 268 equivalent.

No	Size	Qty/Case	Sold By
750GEL-BLUE	35 ml. bottle	6	Each
750GEL-RED	Best Seller! 35 ml. bottle	6	Each
750GEL-BLUE6	6 ml squeeze bottle	12	Each
750GEL-RED6	6 ml squeeze bottle	12	Each

Pipe Sealant with PTFE

Easier than tape and often no reapplication needed. Pipe Sealant with PTFE allows adjustments up to 24 hours. Anaerobic formula cures without air to seal and lock threads. Resists corrosion, leakage, vibration, and moisture in piping systems.

No	Size	Qty/Case	Sold By
730	50 ml. squeeze tube	6	Each

Thread Sealant with PTFE

All purpose thread sealant. Performs better than tape. Seals threaded connections for air, oil, diesel fuel and hydraulic oil. Remains pliable.

No	Size	Qty/Case	Sold By
N730	16 oz. brush top can	6	Each

PTFE Thread Seal Tape

Temperature range -400.0° F [Min], 600.0° F [Max].

No	Color	Width	Qty/Roll	Sold By
575	White	1/2"	520"	Each

Heavy Duty Adhesive Spray

Fast-Drying: dries quickly to minimize downtime during projects, creating a heavy-duty bond that's permanent and built to withstand heat and moisture. 3-way web spray nozzle, allowing technicians to adjust the width of spray pattern between low, medium and high settings, providing maximum control and precision with minimal overspray. Heat, water and moisture-resistant: Formulated to withstand high temperatures while resisting water and moisture. All Surface Formula.

No	Net Wt	Qty/Case	Sold By
1069	12 oz.	12	Each



730



N730



575



1069